


Harmony 45" Electric Fireplace

Specifications Sheet



Model	Length	Height	Depth	Viewing Area	BTU	Cord Length
DY-BEF45	1131 mm	560 mm	219 mm	1054 mm x 335 mm	5000	1829 mm
	44½ in.	22 in.	8⅞ in.	41½ in. x 13¼ in.		72 in.



	A*	B	C*	D	E	F	G	H	I
DY-BEF45	1131 mm	219 mm	560 mm	1156 mm	435 mm	57 mm	32 mm	1054 mm	335 mm
	44½ in.	8⅞ in.	22 in.	45½ in.	17⅞ in.	2¼ in.	1¼ in.	41½ in.	13¼ in.

*A & C includes louver projections

Electrical Specifications


Model	Circuit	Max Power Consumption	Lighting Only	Standby	Outlet	Certification
DY-BEF45	15A, 120V / 60Hz	1500 W	25 W	1.5 W	<ul style="list-style-type: none"> Standard (type B) Hardwire ready 	CSA

Harmony 45" Electric Fireplace


Specifications Sheet



Clearances




Front View



Side View

Minimum Clearances to Combustibles	
Top	0"
Sides	0"
Back	0"
Bottom	0"
Front	36" / 0.9m

Framing



Framing Dimensions	
A	22½ in.
	570 mm
B	45 in.
	1145 mm
Depth	8 in.
	204 mm

Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury



Dynasty Fireplaces, Ltd.
 10-3071 No. 5 Road, Richmond, BC V6X 2T4 Canada
 +1 877-521-1009 | 604-821-1009 |
 support@dynastyfireplaces.com | dynastyfireplaces.com




Harmony 57" Electric Fireplace

Specifications Sheet



Model	Length	Height	Depth	Viewing Area	BTU	Cord Length
DY-BEF57	1432 mm	560 mm	219 mm	1354 mm x 335 mm	5000	1829 mm
	56 $\frac{3}{8}$ in.	22 in.	8 $\frac{1}{4}$ in.	53 $\frac{3}{8}$ in. x 13 $\frac{1}{4}$ in.		72 in.



	A*	B	C*	D	E	F	G	H	I
DY-BEF57	1432 mm	219 mm	560 mm	1400 mm	435 mm	57 mm	32 mm	1354 mm	335 mm
	56 $\frac{3}{8}$ in.	8 $\frac{3}{8}$ in.	22 in.	55 $\frac{3}{8}$ in.	17 $\frac{3}{8}$ in.	2 $\frac{1}{4}$ in.	1 $\frac{1}{4}$ in.	53 $\frac{3}{8}$ in.	13 $\frac{1}{4}$ in.

*A & C includes louver projections

Electrical Specifications


Model	Circuit	Max Power Consumption	Lighting Only	Standby	Outlet	Certification
DY-BEF57	15A, 120V / 60Hz	1500 W	32 W	1.5 W	<ul style="list-style-type: none"> Standard (type B) Hardwire ready 	CSA

Harmony 57" Electric Fireplace


Specifications Sheet



Clearances




Front View



Side View

Minimum Clearances to Combustibles	
Top	0"
Sides	0"
Back	0"
Bottom	0"
Front	36" / 0.9m

Framing



Framing Dimensions	
A	22½ in.
	570 mm
B	57 in.
	1445 mm
Depth	8 in.
	204 mm

Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury



Dynasty Fireplaces, Ltd.
 10-3071 No. 5 Road, Richmond, BC V6X 2T4 Canada
 +1 877-521-1009 | 604-821-1009 |
 support@dynastyfireplaces.com | dynastyfireplaces.com




Harmony 64" Electric Fireplace

Specifications Sheet



Model	Length	Height	Depth	Viewing Area	BTU	Cord Length
DY-BEF64	1632 mm	560 mm	219 mm	1554 mm x 335 mm	5000	1829 mm
	64¼ in.	22 in.	8¼ in.	61¼ in. x 13¼ in.		72 in.



	A*	B	C*	D	E	F	G	H	I
DY-BEF64	1632 mm	219 mm	560 mm	1600 mm	435 mm	57 mm	32 mm	1554 mm	335 mm
	64¼ in.	8⅞ in.	22 in.	63 in.	17⅞ in.	2¼ in.	1¼ in.	61¼ in.	13¼ in.

*A & C includes louver projections

Electrical Specifications


Model	Circuit	Max Power Consumption	Lighting Only	Standby	Outlet	Certification
DY-BEF64	15A, 120V / 60Hz	1500 W	34 W	1.5 W	<ul style="list-style-type: none"> Standard (type B) Hardwire ready 	CSA

Harmony 64" Electric Fireplace


Specifications Sheet



Clearances




Front View



Side View

Minimum Clearances to Combustibles	
Top	0"
Sides	0"
Back	0"
Bottom	0"
Front	36" / 0.9m

Framing



Framing Dimensions	
A	22½ in.
	570 mm
B	65 in.
	1650 mm
Depth	8 in.
	204 mm

Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury



Dynasty Fireplaces, Ltd.
 10-3071 No. 5 Road, Richmond, BC V6X 2T4 Canada
 +1 877-521-1009 | 604-821-1009 |
 support@dynastyfireplaces.com | dynastyfireplaces.com




Harmony 80" Electric Fireplace

Specifications Sheet



Model	Length	Height	Depth	Viewing Area	BTU	Cord Length
DY-BEF80	2032 mm	560 mm	219 mm	1954 mm x 335 mm	5000	1829 mm
	80 in.	22 in.	8¼ in.	77 in. x 13¼ in.		72 in.



	A*	B	C*	D	E	F	G	H	I
DY-BEF80	2032 mm	219 mm	560 mm	1156 mm	435 mm	57 mm	32 mm	1954 mm	335 mm
	80 in.	8½ in.	22 in.	78¾ in.	17⅞ in.	2¼ in.	1¼ in.	77 in.	13¼ in.

*A & C includes louver projections

Electrical Specifications


Model	Circuit	Max Power Consumption	Lighting Only	Standby	Outlet	Certification
DY-BEF80	15A, 120V / 60Hz	1500 W	45 W	1.5 W	<ul style="list-style-type: none"> Standard (type B) Hardwire ready 	CSA

Harmony 80" Electric Fireplace


Specifications Sheet



Clearances




Front View



Side View

Minimum Clearances to Combustibles	
Top	0"
Sides	0"
Back	0"
Bottom	0"
Front	36" / 0.9m

Framing



Framing Dimensions	
A	22½ in.
	570 mm
B	81 in.
	2058 mm
Depth	8 in.
	204 mm

Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury



Dynasty Fireplaces, Ltd.
10-3071 No. 5 Road, Richmond, BC V6X 2T4 Canada
+1 877-521-1009 | 604-821-1009 |
support@dynastyfireplaces.com | dynastyfireplaces.com

